

Technical Data Sheet

LOXEAL ACTIVATOR 20

Description

To be used with acrylic adhesives and with anaerobics.

Apply the Adhesive on one part and the Activator on the other; assemble parts and wait few minutes to achieve fixing.

Physical properties

Composition: iminoaldehydes derivate

Appearance: brown
Viscosity (+25°C - mPa s): 10 - 50
Specific weight at +20°C (g/ml): 0,90
Flash point: >+100°C
Active content: 100

Shelf life: 1 year at +25°C in original unopened packaging

Activation effect on surface : 2 hours
Curing time with Adhesive 33-00 : 1' - 3'
Curing time with Adhesive 3439 : 1' - 2'
Curing time with Adhesive 3459 : 1' - 2'

Directions for use

Clean and degrease surfaces to be bonded with Loxeal Cleaner 10. Apply the Activator on one surface and the Adhesive on the other. Join and press parts until adhesion is reached. Clean the excess of product with organic solvent. For gaps bigger than 0,5 mm apply Loxeal Activator on both surfaces. Wait for 24 hours to place parts under stressed conditions.

Storage

We recommend to store product in a cool and dry place at temperature non exceeding +25°C. To avoid contaminations do not refill containers with used product. For more information on applications, storage and handling contact Loxeal Technical Service

Safety and handling

Consult the Safety Data Sheet before use.

Note

The data contained herein, obtained in Loxeal laboratories, are given for information only; if specifics are required, please contact Loxeal Technical Department. Loxeal ensures abiding quality of supplied products according to its own specifics. Loxeal cannot assume responsibility for the results obtained by others which methods are not under Loxeal control. It is user's responsibility to determine suitability for user's purpose of any product mentioned herein. Loxeal disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Loxeal products. Loxeal specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits.